**Total Services Resale (TSR)**

## 10.A.142 SGNL

| | |
|---|---|
| **Field Name:** | Signaling |
| **Definition:** | Identifies the type of signaling required |
| **Cross Reference:** | Resale, Service Details Section, Field #28 |
| | Port Service, Service Details Section, Field #27 |
| **Characteristics:** | 2 Alpha/numeric characters |
| **Valid Entries:** | LS = Loop Start |
| | GS = Ground Start |
| | WS = Wink Start |
| | DD = Delay Dial |
| | IM = Immediate |
| | AT = Direct Connect |
| | DC = Answer Tone |
| | E1 = E & M 1 |
| | E2 = E & M 2 |
| | E3 = E & M 3 |
| **Usage Rules:** | This field is optional |

**Total Services Resale (TSR)**

## 10.A.143 SGNL (OUT)

**Field Name:** Signaling Out

**Definition:** Identifies the type of signaling required for DOD or Two Way Out

**Cross Reference:** Port Service, Service Details Section, Field # unassigned

**Characteristics:** 2 Alpha/numeric characters

**Valid Entries:** LS = Loop Start

GS = Ground Start

WS = Wink Start

DD = Delay Dial

IM = Immediate

AT = Direct Connect

DC = Answer Tone

E1 = E & M 1

E2 = E & M 2

E3 = E & M 3

**Usage Rules:** This field is optional

**Comments:** TCIF EDI mapping support for this field is pending

OBF support for this field is pending

## 10.A.144 SHELF

**Total Services Resale (TSR)**

**Field Name:** Shelf

**Definition:** Identifies the number assigned to the customer's shelf to be used in a collocation arrangement.

**Cross Reference:** Port Service, Service Details Section, Field #23

Loop Service with INP, Service Details Section, Field #11

**Characteristics:** 6 Alpha/numeric characters

**Valid Entries:**

**Usage Rules:** Required when the customer has assignment control in a collocation arrangement, otherwise optional

**Comments:** TCIF EDI mapping support for this field is pending.

**Total Services Resale (TSR)**

## 10.A.145 SLOT

**Field Name:** Slot

**Definition:** Identifies the customer's specific connection to be used in a collocation arrangement.

**Cross Reference:** Port Service, Service Details Section, Field #24

Loop Service with INP, Service Details Section, Field #12

**Characteristics:** 6 Alpha/numeric characters

**Valid Entries:**

**Usage Rules:** Required when the customer has assignment control in a collocation arrangement, otherwise optional

**Comments:** TCIF EDI mapping support for this field is pending.

**Total Services Resale (TSR)**

## 10.A.146 SPEC

| | |
|---|---|
| **Field Name:** | Service and Product Enhancement Code |
| **Definition:** | Identifies a specific product or service offering. |

> **NOTE 1:**  SPEC may be applicable for circuit level features and options other than those already identified by the Network Channel (NC) and Network Channel Interface (NCI) codes

**Cross Reference:**  LSR Administrative Section, Field #32

**Characteristics:**  5 (minimum) to 7 (maximum) alpha/numeric characters

**Valid Entries:**  Positions 1 = 7 may equal any alpha character (except "I") or any numeric character (except "0").

> NOTE 1:Valid entries are based on provider tariffs/practices.

**Usage Rules:**  This field is optional

**Total Services Resale (TSR)**

## 10.A.147  SSN (LOCBAN)

**Field Name:**   Social Security Number

**Definition:**   Identifies the social  security number of the end user in the BILLNM field

**Cross Reference:**   End User Bill Section, Field # unassigned

**Characteristics:**   11 numeric character.

**Valid Entries:**

**Usage Rules:**   This field is optional

## 10.A.148  STATE  (END USER)

**Field Name:**   End User State/Province

**Definition:**   Identifies the two character postal code for the state/province of the end user location.

**Cross Reference:**   End User Location & Access Section, Field #11

**Characteristics:**   2 Alpha characters

**Valid Entries:**

**Usage Rules:**   This field is required

## 10.A.149  STATE (BILL)

**Total Services Resale (TSR)**

**Field Name:** Billing Address - State / Province

**Definition:** Identifies the two character postal code for the state/province of the billing address associated with the billing name.

**Cross Reference:** LSR Bill Section, Field #57

**Characteristics:** 2 Alpha characters

**Valid Entries:**

**Usage Rules:** Required when the BAN field is "N", otherwise optional

## 10.A.150 STATE (DSGCON)

**Field Name:** Design/Engineering Contact Address - State/Province

**Definition:** Identifies the two character postal code for the state/province of the design/engineering contact's location.

**Cross Reference:** LSR Contact Section, Field #87

**Characteristics:** 2 Alpha characters

**Valid Entries:**

**Usage Rules:** Required when the DSGCON field is populated, otherwise optional

## 10.A.151 STATE (INIT)

**Field Name:** Initiator Address - State / Province

# Total Services Resale (TSR)

**Definition:** Identifies the state/province of the initiator's address.

**Cross Reference:** LSR Contact Section, Field #70

**Characteristics:** 2 Alpha characters

**Valid Entries:**

**Usage Rules:** This field is required

**Total Services Resale (TSR)**

## 10.A.152 STATE (LOCBAN)

     **Field Name:** End User Billing Address - State/Province

     **Definition:** Identifies the two character postal code for the state/province of the billing address associated with the billing name.

     **Cross Reference:** End User Bill Section, Field #28

     **Characteristics:** 2 Alpha characters

     **Valid Entries:**

     **Usage Rules:** Required when the FBI field is "D", otherwise optional

## 10.A.153 STREET (BILL)

     **Field Name:** Billing Address - Street

     **Definition:** Identifies the street of the billing address associated with the billing name.

     **Cross Reference:** LSR Bill Section, Field #53

     **Characteristics:** 25 Alpha/numeric characters

     **Valid Entries:**

     **Usage Rules:** Required when the BAN field is "N", otherwise optional

## 10.A.154 STREET (DSGCON)

**Total Services Resale (TSR)**

**Field Name:** Design/Engineering Contact Address - Street

**Definition:** Identifies the street address of the design/engineering contact.

**Cross Reference:** LSR Contact Section, Field #83

**Characteristics:** 25 Alpha/numeric characters

**Valid Entries:**

**Usage Rules:** Required when the DSGCON field is populated, otherwise optional


## 10.A.155  STREET (END USER)

**Field Name:** End User Street Address

**Definition:** Identifies the street address of the end user location.

**Cross Reference:** End User Location & Access Section, Field #6

**Characteristics:** 25 Alpha/numeric characters

**Valid Entries:**

**Usage Rules:** This field is required

## 10.A.156 STREET (INIT)

**Field Name:** Initiator Address - Street

**Definition:** Identifies the initiator's street address

**Cross Reference:** LSR Contact Section, Field #66

**Characteristics:** 25 Alpha/numeric characters

**Valid Entries:**

**Usage Rules:** This field is required

## 10.A.157 STREET (LOCBAN)

**Field Name:** End User Billing Address - Street

**Definition:** Identifies the street of the billing address associated with the billing name.

**Cross Reference:** End User Bill Section, Field #24

**Characteristics:** 25 Alpha/numeric characters

**Valid Entries:**

**Usage Rules:** Required when the FBI field is "D", otherwise optional

## 10.A.158 STREET (LOCBAN)

## Total Services Resale (TSR)

**Field Name:** End User Street Address

**Definition:** Identifies the street of the billing address associated with the billing name.

**Cross Reference:** End User Bill Section, Field #25

**Characteristics:** 25 Alpha/numeric characters

**Valid Entries:**

**Usage Rules:** Required when the FBI field is "D", otherwise optional

**Total Services Resale (TSR)**

## 10.A.159 SUP

**Field Name:**   Supplement Type

**Definition:**   A supplement is any new iteration of an LSR.  The entry in the SUP field identifies the reason for which the supplement is being issued.

**Cross Reference:**   LSR Administrative Section, Field #15

**Characteristics:**   1 Alpha character

**Valid Entries:**   **1 =   Cancel** - Indicates that the pending order is to be canceled in its entirety.

> NOTE 1:  If the pending order was already completed as ordered, a separate request must be sent instead of the supplement.

> NOTE 2: Valid for service Inquiries and firm orders whether or not they have been through the confirmation phase.

**2 =   New Desired Due Date** - Indicates that the pending order requires only a change of desired due date.

> NOTE 1: Indicates the pending order requires a change of due date.  The new date is specified in the DDD field, Desired Due Date.  If the request is to establish a due date less than the standard interval, the EXP field must be populated.

**Total Services Resale (TSR)**

**2.134 Supp (cont)**

**3 = Other** - Any other change to the request.

NOTE 1: This may affect the previously agreed upon due date.

NOTE 2: Partial cancellations should also be entered with a "3" in the SUP field.

NOTE 3: A request for a change in desired due date in conjunction with other changes to a pending order should be submitted with a "3" in the SUP field. If the request is to establish a due date less than the standard interval, the EXP field must be populated.

NOTE 4: This entry is also to be used for supplements that are a result of provider changes.

NOTE 5: Requires an entry in the REMARKS field to identify the changes. In addition to the changed fields, the remainder of the request must be identical to the original request issued.

**Usage Rules:** Prohibited on initial versions (850 Transaction Set)

Required on supplemental versions (860 Transaction Set).

**Total Services Resale (TSR)**

# 10.A.160 SYSTEM ID

**Field Name:** System Identification

**Definition:** Identifies the customer's system to be used in a collocation arrangement.

**Cross Reference:** Port Service, Service Details Section, Field #21

Loop Service with INP, Service Details Section, Field #9

**Characteristics:** 5 Alpha/numeric characters

**Valid Entries:**

**Usage Rules:** Required when the customer has assignment control in a collocation arrangement, otherwise optional

**Comments:** TCIF EDI mapping support for this field is pending.

**Total Services Resale (TSR)**

## 10.A.161  TBE

|  |  |
|---|---|
| **Field Name:** | Toll Billing Exception |
| **Definition:** | Identifies a request for installation/removal of toll billing exception on a telephone number. |
| **Cross Reference:** | Resale, Service Details Section, Field #30 |
|  | Port Service, Service Details Section, Field #29 |
|  | Loop Service with INP, Service Details Section, Field #28 |
| **Characteristics:** | 36 Alpha/Numeric characters |
| **Valid Entries:** | A = Deny collect and  third number |
|  | B = Deny third number |
|  | C = Deny collect call |
|  | R = Remove all screening |
|  | S = Same, no change |
| **Usage Rules:** | 1 Alpha character |

**Total Services Resale (TSR)**

## 10.A.162  TC OPT

    **Field Name:**   Transfer of Call Options

    **Definition:**   Identifies the type of transfer of call option the end user has requested.

    **Cross Reference:**   End User Information, Disconnect Information, Field #37

    Resale, Service Details Section, Field #18

    Port Services, Service Detail Section, Field #18

    Loop Service with INP, Service Details Section, Field #31

    **Characteristics:**   3 alpha/numeric characters

    **Valid Entries:**   S = Standard

    Custom code identifier

    N = None

    **Usage Rules:**   Optional

    **Comments:**

**Total Services Resale (TSR)**

## 10.A.163 TC PER

**Field Name:**   Transfer of Calls Period

**Definition:**   Indicates the requested date that the transfer of calls, specified in the TNC TO field, is to be removed and the standard recorded announcement is to be provided.

> **NOTE 1:** When the standard period of transfer (provided by the provider ) is acceptable, the field is to be left blank.

**Cross Reference:**   End User Information, Disconnect Information, Field #39

Resale, Service Details Section, Field #20

Port Services, Service Detail Section, Field #20

Loop Service with INP, Service Details Section, Field #33

**Characteristics:**   10 numeric characters.

**Valid Entries:**

| U.S. Standard | Metric Format |
|---|---|
| Two digit Month (01-12) | Two Digit Century (00-99) |
| Two Digit Day (01-31) | Two Digit Year (00-99) |
| Two Digit Century (00-99) | Two Digit Month (01-12) |
| Two Digit Year (00-99) | Two Digit Day (01-31) |

> **NOTE 1:**  Metric date format may be used based on provider/customer negotiations.

**Usage Rules:**   Optional if the associated TC TO field is populated

**Comments:**

**Total Services Resale (TSR)**

## 10.A.164  TC TO

**Field Name:**  Transfer of Calls To

**Definition:**  Identifies the type of transfer of call option the end user has requested.

**Cross Reference:**  End User Information, Disconnect Information, Field #38

Resale, Service Details Section, Field #19

Port Services, Service Detail Section, Field #19

Loop Service with INP, Service Details Section, Field #32

**Characteristics:**  12 numeric characters.

**Valid Entries:**

**Usage Rules:**  Required if the associated TC OPT field is not "N", otherwise optional

**AT&T**

Total Services Resale (TSR)

## 10.A.165  TE

**Field Name:**  Tax Exemption

**Definition:**  Indicates that the customer has submitted a tax exemption form to the provider

**Cross Reference:**  LSR Bill Section, Field #51

**Characteristics:**  1 Alpha character

**Valid Entries:**

| ENTRY | EXEMPTION FORM(S) |
|-------|-------------------|
| A | F & S |
| B | F & C |
| C | COUNTY or LOCAL |
| D | F, S & C |
| E | F, S & M |
| F | FEDERAL |
| G | F, S, C & M |
| H | S & C |
| I | S & M |
| J | C & M |
| K | F & M |
| L | LETTER ON FILE |
| M | MUNICIPAL |
| N | Non-EXEMPT |
| P | S, C & M |
| S | STATE/PROVINCE |

**Usage Rules:**  Required when the BAN field is "N", otherwise optional

**Total Services Resale (TSR)**

## 10.A.166 TEL NO (ALT IMPCON)

**Field Name:** Alternate Implementation Contact Telephone Number

**Definition:** Identifies the telephone number of the alternate implementation contact.

**Cross Reference:** LSR Contact Section, Field #76

**Characteristics:** 17 Numeric characters.

**Valid Entries:**

**Usage Rules:** Required when the ATL IMPCON field is populated, otherwise prohibited

**Total Services Resale (TSR)**

## 10.A.167 TEL NO (BILL)

**Field Name:** Billing Contact Telephone Number

**Definition:** Identifies the telephone number of the billing contact.

**Cross Reference:** LSR Bill Section, Field #60

**Characteristics:** 17 Numeric characters.

**Valid Entries:**

**Usage Rules:** Required when the BAN field is "N", otherwise optional

## 10.A.168 TEL NO (DSGCON)

**Field Name:** Design/Engineering Contact Telephone Number

**Definition:** Identifies the telephone number of representative of the customer or agent that should be contacted on design/engineering matters

**Cross Reference:** LSR Contact Section, Field #80

**Characteristics:** 17 Numeric characters.

**Valid Entries:**

**Usage Rules:** Required when the DSGCON field is populated, otherwise optional

## 10.A.169 TEL NO (IMPCON)

**Total Services Resale (TSR)**

**Field Name:** Implementation Contact Telephone Number

**Definition:** Identifies the telephone number of the implementation contact.

**Cross Reference:** LSR Contact Section, Field #73

**Characteristics:** 17 Numeric characters.

**Valid Entries:**

**Usage Rules:** Required when the IMPCON field is populated, otherwise prohibited

# 10.A.170  TEL NO (INIT)

**Field Name:** Initiator Telephone Number

**Definition:** Identifies the telephone number of the initiator.

**Cross Reference:** LSR Contact Section, Field #63

**Characteristics:** 17 Numeric characters.

**Valid Entries:**

**Usage Rules:** This field is required

## 10.A.171  TEL NO (IWCON)

**Field Name:**   Inside Wire Contact Telephone Number

**Definition:**   Identifies the telephone number of the inside wire contact.

**Cross Reference:**   End User Inside Wire Section, Field #19

**Characteristics:**   17 Numeric characters.

**Valid Entries:**

**Usage Rules:**   Required when the IWCON field is populated, otherwise prohibited

## 10.A.172  TEL NO (LCON)

**Field Name:**   Local Contact Telephone Number

**Definition:**   Identifies the telephone number of the local contact for the service location.

**Cross Reference:**   End User Location & Access Section, Field #13

**Characteristics:**   17 Numeric characters.

**Valid Entries:**

**Usage Rules:**   This field is optional

## 10.A.173  TEL NO (LOCBAN)

**Total Services Resale (TSR)**

**Field Name:** End User Billing Contact Telephone Number

**Definition:** Identifies the telephone number of the billing contact

**Cross Reference:** End User Bill Section, Field #31

**Characteristics:** 17 Numeric characters.

**Valid Entries:**

**Usage Rules:** Required when BILLCON is populated, otherwise optional


## 10.A.174 TER

**Field Name:** Terminal Number

**Definition:** Identifies a non - lead line in a multiline hunt group.

**Cross Reference:** End User Disconnect Information, Field #34

**Characteristics:** 8 alpha/numeric characters

**Valid Entries:**

**Usage Rules:** This field is optional when the associated DISC# field is populated

**Comments:** This entry may represent the maintenance number assigned to a member of a multiline hunt group

One occurrence of this field may be populated for each occurrence of DISC # populated.

## 10.A.175 TERMINAL PORT TYPE